

Best Available Copy

AD-A274 312



ARMY RESEARCH LABORATORY




# Practices and Standards in the Construction of BRL-CAD Target Descriptions

Paul H. Deitz  
Keith A. Applin

ARL-MR-103


September 1993



20030227008

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

93-30878



93 12 22 002

## NOTICES

Destroy this report when it is no longer needed. DO NOT return it to the originator.


Additional copies of this report may be obtained from the National Technical Information Service, U.S. Department of Commerce, 5285 Port Royal Road, Springfield, VA 22161.

The findings of this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.


The use of trade names or manufacturers' names in this report does not constitute indorsement of any commercial product.

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
<small>Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.</small>				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE September 1993	3. REPORT TYPE AND DATES COVERED FINAL - AUG 92 TO MAY 93		
4. TITLE AND SUBTITLE Practices and Standards in the Construction of BRL-CAD Target Descriptions		5. FUNDING NUMBERS  PR: 1L162618AH80		
6. AUTHOR(S)  Paul H. Deitz, Keith A. Applin				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Research Laboratory ATTN: AMSRL-SL-B Aberdeen Proving Ground, MD 21005-5068		8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Research Laboratory ATTN: AMSRL-OP-CI-B (Tech Lib) Aberdeen Proving Ground, MD 21005-5066		10. SPONSORING/MONITORING AGENCY REPORT NUMBER  ARL-MR-103		
11. SUPPLEMENTARY NOTES  This paper was presented at the BRL-CAD Users Conference 4-6 November 1992, held in Baltimore, MD.				
12a. DISTRIBUTION / AVAILABILITY STATEMENT  Approved for public release; distribution unlimited.		12b. DISTRIBUTION CODE		
13. ABSTRACT (Maximum 200 words) BRL-CAD is a Government-developed geometric modeling system designed to support all aspects of the vulnerability/lethality (V/L) analysis field. In this report, we present a general overview type of approach to geometric modeling with BRL-CAD. The important link between the intended application/analysis and the specific requirements on the geometric model is discussed. An approach to effective BRI-CAD database management, based on the design of the database, is presented. We also suggest some basic naming conventions that have proven successful for armored systems. Finally, a general philosophy of geometric modeling and a modeling plan to accomplish any project are presented.				
14. SUBJECT TERMS Geometric modeling, BRL-CAD, solid modeling, target description, combinatorial solid geometry, vulnerability, models			15. NUMBER OF PAGES 52	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT UL	

Intentionally Left Blank



# DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF COLOR PAGES WHICH DO NOT REPRODUCE LEGIBLY ON BLACK AND WHITE MICROFICHE.

## CONTENTS

1. INTRODUCTION.....	1
2. BACKGROUND.....	1
2.1 Vulnerability/Lethality Assessments.....	1
2.2 Combinatorial Solid Geometry.....	2
2.3 Ray-Tracing.....	3
2.4 BRL-CAD.....	5
3. ANALYSES AND GEOMETRY REQUIREMENTS.....	5
3.1 Nuclear Assessment.....	6
3.2 Compartment Level.....	6
3.3 Component Level - Parallel Ray.....	9
3.4 Component Level - Point Burst.....	9
3.5 SPARC.....	15
3.6 SAR Signature.....	15
3.7 IR Signature.....	17
4. MANAGING BRL-CAD DATA FILES.....	18
4.1 Data File Structure.....	19
4.2 Creating Hierarchies.....	22
4.3 Some Conventions.....	23
5. MOLELING PHILOSOPHY.....	24
6. SUMMARY.....	25
7. REFERENCES.....	27
DISTRIBUTION LIST.....	29

Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input checked="" type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

DTIC QUALITY INSPECTED 2

Intentionally Left Blank

## LIST OF FIGURES

Figure 1.	Manual Shotlines From Engineering Drawings.....	2
Figure 2.	Sample CSG Primitives.....	3
Figure 3.	Examples of Boolean Operations.....	4
Figure 4.	Ray-Tracing a Simple Region.....	4
Figure 5.	Exterior of a Compartment-Level Description....	7
Figure 6.	Air Regions Representing Internal Compartments.....	8
Figure 7.	Interior of a Compartment-Level Description....	8
Figure 8.	Exterior of a Component-Level Description.....	10
Figure 9.	Interior of a Component-Level Description.....	10
Figure 10.	Compartment-Level and Component-Level Gun System.....	11
Figure 11.	Compartment-Level and Component-Level Fuel System.....	12
Figure 12.	Compartment-Level and Component-Level Electrical System.....	13
Figure 13.	Compartment-Level and Component-Level Power Train.....	14
Figure 14.	Example of a SAR-Level Target Description.....	16
Figure 15.	Example of a SAR-Level Target Description.....	17
Figure 16.	Nodes Converted From BRL-CAD Geometry.....	18
Figure 17.	Sliced Turret to Produce Different Normals.....	19
Figure 18.	High Detailed Individual Component Modeling....	20
Figure 19.	Model of a Corps Command Post.....	21
Figure 20.	The BRL-CAD Hierarchical Data Structure.....	22



Intentionally Left Blank

## 1. Introduction

The Ballistic Vulnerability Lethality Division (BVLD),\* formerly known as the Vulnerability Lethality Division of the Ballistic Research Laboratory (BRL), has been involved in geometric modeling for four decades. From the very beginning, geometric modeling has been incessantly tied to the vulnerability/lethality (V/L) field. In fact, geometric modeling in the Army was specifically developed to support V/L assessments, and its subsequent evolution has continually been driven by the V/L requirements. With this direct connection to the V/L field, the development cycle of geometric modeling at the BVLD has certainly been atypical. Most other modern geometric modeling systems have their roots in the mechanical drafting field, and have subsequently been tied to the design/manufacturing environment. Thus, to understand the development of geometric modeling at the BVLD, one must first consider the history of the V/L analysis field.

## 2. Background

### 2.1 Vulnerability/Lethality Assessments


The vulnerability of a system is a measure of that system's susceptibility to damage when attacked by a particular threat mechanism. Lethality, on the other hand, considers the reciprocal, and estimates the damage a threat inflicts on a particular target. The earliest attempts at V/L assessments were concerned with tanks being attacked by direct fire weapons, and relied heavily on subjective judgement. The major concern was perforation of the armor; hence, the only geometric information needed was armor thickness and obliquity angle. The penetration capability of the attacking munition was matched against the armor. If perforation occurred, then estimates were made concerning damage and residual system combat capability. Methodology soon began to emerge, however, and by the late 1950s, computer codes existed to estimate damage sustained by armored vehicles attacked by direct fire munitions.

These early V/L analysis computer codes considered large numbers of shot locations on a target from several attack aspects. For each attack azimuth, shot locations were evaluated for a grid completely covering the target. The geometric information required was a formatted file containing a sequential listing of information about each component encountered for each grid cell (or shot location). The required information included the name of the component, line-of-sight thickness, entrance and exit obliquity angles, and the type of material. This information, known as *shotline* data, was manually derived. For each attack direction, a 4-inch grid was physically drawn over the appropriate engineering

---

\* The BVLD is one division of the Survivability Lethality Analysis Directorate (SLAD), an element of the Army Research Laboratory (ARL).

drawing. Then, on a cell-by-cell basis, the shotline data were estimated (see **Figure 1**) and written in the correct format to be evaluated by the V/L analysis computer code.




**Figure 1.** Manual Shotlines From Engineering Drawings.

This shotline generation procedure was unsatisfactory. The manual nature and subjectiveness made the whole process error-prone and time-consuming. In addition, only those attack views for which engineering drawings existed could be evaluated. The attempt to rectify these shortcomings led directly to the birth of 3-dimensional solid geometric modeling in the Army. The process certainly had to be computerized; hence, the solution to the shotline generation problem was twofold. First, a technique of representing the geometry of the target in the computer was required. Second, an algorithm which would allow the computer to interrogate the geometric representation stored in its memory and calculate the shotline data would complete the solution. In 1967, a contract with the **Mathematical Applications Group, Inc. (MAGI)**<sup>[1]</sup> provided the solution. MAGI introduced the **Combinatorial Solid Geometry (CSG)** technique for representing geometry in a computer and the *ray-tracing* geometry interrogation scheme.

## 2.2 Combinatorial Solid Geometry

The CSG approach, still in use today, uses Boolean combinations of simple solid geometric shapes, or primitives, to model components at any level of detail. **Figure 2** is a rendering of the current set of primitives while **Figure 3** shows the results of several Boolean operations. The first geometric modeling system using the CSG technique required three separate files. The first file contained the

parameters of the individual primitives, defining the shape, size, location, and orientation of each. The second file defined the regions, which are the Boolean constructs combining the primitives from the first file. The third file identified the regions by labeling which component of the target each region represented. These CSG files constituted what has become known as a *target description*. The target description was required input to the ray-tracing code to produce the shotline information.



**Figure 2.** Sample CSG Primitives.

### 2.3 Ray-Tracing

The ray-tracing technique, as its name implies, mathematically intersects rays, or lines, with the CSG target description. Parallel rays are initiated from a "grid plane" oriented at the desired attack direction. These rays are intersected with the regions of the description. As the ray encounters a region, at the intersections with each of the defining primitives of that region, the 3-dimensional coordinate locations and surface normals are calculated. The primitive-ray intersections are then combined according to the Boolean formula for that region (see **Figure 4**) to produce the actual intersections for that region. These intersection coordinates are used to calculate thicknesses, which, along with surface normals and other information further identifying the region, constitute the shotline information.




Figure 3. Examples of Boolean Operations.




Figure 4. Ray-Tracing a Simple Region.

The ray-tracing code eliminated the shortcomings of the hand-generated shotline process and greatly increased the overall V/L capability. Parallel shotline information could now be quickly generated from any attack direction, including nonzero elevations. Furthermore, divergent rays could be used to simulate the *bursting* phenomenon. Ray-tracing continues, to this day, to be a flexible geometry interrogation tool and has been used to simulate many natural phenomena.

## **2.4 BRL-CAD**

The development of the ray-tracing technique immediately turned the spotlight directly on the target description. In addition, new capabilities and more detailed analyses placed increased emphasis on the target descriptions. Soon the construction and validation of target descriptions became the most crucial and time-consuming element in the V/L process. The demand for highly detailed, accurate, and timely target descriptions quickly outdistanced the capability to produce them. The main reason was that the construction procedure itself remained a manual process, mired in a mainframe/batch computing environment. With the promise demonstrated by the emerging interactive computer graphics field and the move towards the open environment of the UNIX operating system, a long-term project was initiated in late 1970s to address this problem. The goal of this project was to create an interactive CSG geometric modeling system within the framework of a more flexible, portable computing environment.

In 1983, the first interactive CSG modeling system<sup>[2]</sup> was introduced. This system greatly reduced the time required to construct and validate CSG target descriptions. The computer hardware necessary to support this interactive modeling system was rather limited, and included a mini-computer driving a single display device. Soon, however, the graphics work-station entered the market, providing a tremendous boost to the target description preparation process. The work-station provided target describers with a powerful, dedicated computing platform, including excellent interactive graphics capability, all at a relatively low cost.

About the same time, the algorithms of the early ray-tracing codes were rewritten in the C programming language and put in a library. This library made the development of new ray-tracing-based applications codes much easier. The interactive modeling system and a large volume of associated software have been bundled into what is known as the *BRL-CAD*<sup>[3]</sup> package. This software has been distributed world-wide since 1987 and is continually being expanded and improved.

## **3. Analyses and Geometry Requirements**

In the following sections we will examine the major types of analyses which utilize BRL-CAD geometry, presenting a brief synopsis of the capabilities, limitations, and requirements of each. Then we will discuss how these characteristics translate into demands on the geometric target description required to support

each level of analysis. The selection of analysis codes considered is not intended to be all inclusive, rather an examination of the major types of analyses most often encountered. The analysis codes will be considered in somewhat of a chronological order of development.

### 3.1 Nuclear Assessment

The Vehicle Code System (VCS)<sup>[4]</sup> is the nuclear vulnerability assessment code and is used to evaluate the shielding properties of a vehicle against initial nuclear radiation. The VCS code uses a Monte Carlo module, Multigroup Oak Ridge Stochastic Experiment (MORSE)<sup>[5]</sup> code, to estimate radiation transport through the vehicle. The VCS code calculates estimates of the radiation dosage received by individual crew members, the only critical components of the target.

Target descriptions prepared for the VCS code have traditionally been the most limited and specialized. The VCS target description requirements<sup>6</sup> were first presented in detail in 1976. As significant advances have been made in computing power and memory, many of these restrictions no longer exist, but will be presented for completeness. The most restrictive condition was the limitation on the number of primitives allowed. In the late 1970s, nuclear target descriptions were limited to 600 primitives, preferably less than 300. This size restriction had several implications, the obvious being the amount of detail, which had to be used judiciously. Components with *like* attenuation characteristics had to be combined, while other components such as the hull, turret, suspension, and main armament had to be modeled in low detail. Larger components which would offer significant shielding, such as stowed ammo, also had to be represented, but as an aggregate volume.


The size restrictions of the VCS code no longer exist; however, there are some requirements that still must be considered when preparing a VCS target description. An accurate description of the armor shell is required. Armor thickness is important, but unlike ballistic models, the obliquity angles are less critical. Still, since the target description may be used for other purposes, accurate obliquity angles should be modeled. The exterior shell should include areas where radiation particles may gain entrance. This means that detail and clearances are important in areas such as hatches, sighting devices, and air intake and exhaust grills and vents. All critical components that could be affected by radiation, including the crew, should be included. Likewise, all major internal components that provide shielding, must be represented. All internal air must be modeled as a regular component. Finally, the complete target must be enclosed in an external air region, sitting on a region representing the ground.

### 3.2 Compartment Level

The compartment-level vulnerability methodology was the first approach to V/L assessment and, as mentioned earlier, was the driving force behind the development of geometric modeling and ray-tracing. There were two early compartment-level V/L codes, one for kinetic energy warheads and one for chemical energy (shaped charge) warheads. In 1979, these codes were combined

into the VAMP<sup>[7]</sup> code. The compartment-level codes are the least sophisticated of the V/L codes. True to their name, these codes consider the target as a series of compartments contained within an armored shell. Penetration calculations are matched against the armor defeat criteria. Upon perforation, the residual energy (represented by a hole size) is used to predict damage from a *compartment kill curve*. The only internal components that are considered on an individual basis are those that would contribute to a catastrophic kill (K-kill) of the vehicle.

There are several important considerations when preparing a compartment-level target description. The armor shell must be described as accurately as possible since the thickness and obliquity angle are crucial in penetration calculations. Other exterior components that would affect penetration, such as the main gun, suspension components, and roadwheels, must be represented. Figure 5 is a rendering of the exterior of a compartment-level description.




**Figure 5.** Exterior of a Compartment-Level Description.


The complete interior volume within the armor shell must be modeled and divided into compartments. The compartments of interest are the crew, engine, and ammo. Defining these compartments is accomplished by modeling air regions and assigning differentiating "air codes". There must not be any space between the inner surface of the armor and the air regions (compartments). There is interior space that must not be included as part of the crew, engine, or ammo compartments. These areas, such as between the hull belly and the floor and between the armor wall and an adjacent fuel tank, are modeled and identified as separate compartments. Figure 6 shows these "compartment air regions" along with the enclosing armor shell. Any K-kill component, such as fuel tanks and



stowed ammo. must also be represented. In addition, large shielding components, such as engines and transmissions, are usually modeled at a low level of detail. Other interior components need not be modeled. **Figure 7** depicts the interior detail of a compartment-level target description.



**Figure 6.** Air Regions Representing Internal Compartments.



**Figure 7.** Interior of a Compartment-Level Description.

### 3.3 Component Level - Parallel Ray

The component-level vulnerability codes represent the next level of complexity in that the target is analyzed at the individual component level. The first such code was known as the VAREA<sup>[8]</sup> code and was used for lightly armored vehicles, trucks, etc. The COVART<sup>[9]</sup> family of codes performs similar tasks for aircraft. These codes compute the vulnerability estimates in terms of *vulnerable areas* for specific penetrators, usually fragments and small caliber direct fire weapons. This methodology requires component conditional kill probabilities given a hit for every critical component. The vulnerable area of the target from a specific view is the sum of all the individual grid-cell vulnerable areas. The grid-cell vulnerable areas are determined by calculating a cell probability of kill and multiplying it by the area of the cell. The view vulnerable area data are presented in a table for the various fragment mass and velocity combinations.

It is no surprise that the geometry requirements for the VAREA codes shifted emphasis to the individual component. The exterior shell must continue to be modeled as accurately as possible. Other exterior components must include any critical components plus any component that could contribute to a K-kill. Any exterior component should also be included if it provides any significant shielding or affects the penetration capability of the warhead. **Figure 8** shows the detail of the exterior of a component-level target description. All critical internal components must be modeled in enough detail to support a component kill analysis. The component conditional kill analysis uses presented areas of the component from several aspects, ratioing projected areas of *sensitive* regions with the total presented area. Thus, the presented area of the model of the component should accurately represent the real component. Any other noncritical internal component that provides effective ballistic shielding should also be included. At this level, components such as wiring harnesses and fuel and hydraulic lines are generally modeled. **Figure 9** is a rendering of the internal components of a component-level target description.

### 3.4 Component Level - Point Burst

The point burst assessment codes are simply an extension of the VAREA level codes, except the damage resulting from behind-armor debris (or spall) is explicitly estimated. Parallel shotlines are used to simulate the main penetrator while divergent shotlines (or spall rays) simulate the spall debris. The spall rays are initiated whenever a *burst point* is encountered along the path of a main penetrator. A burst point is defined whenever a main penetrator exits an armor component directly into an interior volume. The first point burst V/L code was the VAST<sup>[10]</sup> code, which evaluated kinetic energy and shaped charge warheads versus tanks. In 1988, a stochastic point burst V/L code called SQuASH<sup>[11]</sup> was introduced and represents a significant improvement in armored vehicle vulnerability modeling.




Figure 8. Exterior of a Component-Level Description.




Figure 9. Interior of a Component-Level Description.

The geometry requirements necessary to support a point burst V/L analysis are nearly identical to the VAREA requirements as far as the components are concerned. The one major difference is the need to identify burst points. Recall, burst points are located on the inner surface of armor components that are adjacent to interior volume. Hence, to locate the burst points it is necessary to know when one has entered the interior. As in the compartment analyses, this is accomplished by representing all interior volume as air regions and then identifying those where spall rays should be initiated. Note that one should avoid any "undefined" volume between the exterior shell and the air regions, or the burst points could be missed. Figures 10 through 13 are used to compare the detail of several subsystems of compartment-level and component-level target descriptions.









Figure 10. Compartment-Level and Component-Level Gun System.



**Figure 11.** Compartment-Level and Component-Level Fuel System.



**Figure 12.** Compartment-Level and Component-Level Electrical System.



**Figure 13.** Compartment-Level and Component-Level Power Train.

### 3.5 SPARC

For many years, spare parts for military systems were stocked according to life expectancies and mean-time-between-failures in a peacetime environment. Little consideration was given to parts likely to be damaged in battle. In the early 1980s, the **SPARC** (Sustainability Predictions for Army spare component Requirements for Combat) program was started to address this oversight. The SPARC<sup>[12]</sup> code was developed to quantify spare parts requirements in support of combat damage repair. The SPARC methodology is really an adaptation of the point burst methodology and, therefore, accounts for damage from both the main penetrator and spall debris. The major difference was the introduction of the concept of the *mission-essential component*, a more inclusive classification than the standard V/L critical component. Any component whose loss would require repair or replacement either to prevent damage to other components or to maintain long-term operational readiness and reliability is considered mission essential.

SPARC target description requirements are basically the same as the point burst V/L analysis, except for the concept of mission-essential components. All components that would be considered critical in a point burst analysis are also considered mission essential. However, noncritical components may become mission essential if they must be replaced when damaged to maintain long-term operational status. For example, consider the third roadwheel of a tracked vehicle. This roadwheel is not considered V/L critical since the vehicle is still functional when the roadwheel is damaged. However, this damaged roadwheel could lead to problems with other suspension components such as torsion bars and the track and is, therefore, considered a mission-essential component for a SPARC analysis. All mission-essential components, even redundant components, must be uniquely identified. It is necessary, therefore, to assure that the regions used to model a component are uniquely identified, and any other occurrence of that component must be distinguished from others.


### 3.6 SAR Signature

This methodology predicts Synthetic Aperture Radar (**SAR**) images by ray-tracing the geometric model. At every intersection with the geometry, the ray is reflected in another direction according to the surface geometry and appropriate physical laws. This process is continued until the ray is reflected back to the sensor or leaves the scene.

The geometry requirements for a SAR analysis are quite different than those discussed up to this point. If the target exterior is completely conducting (i.e., metal), then no internal components are required. However, if portions of the exterior shell (or any exterior component) are comprised of nonconducting material (e.g., glass, plastic, etc.), then appropriate internal components should be modeled. Likewise, hubs and rims should be modeled in detail as rubber is also transparent to radar. Generally though, all the detail is concentrated on the exterior surface. Since surface normals and curvature information are required,



the exterior shell must be as accurate as possible. Curved surfaces must be modeled as such and as faithfully as possible. Thicknesses are unimportant, but if known should be modeled accurately. All exterior accessories should be modeled and in great detail. Components such as headlights, taillights, hinges, handles, braces, supports, large bolt heads, and individual track links should be included in the model. Even rounded corners should be considered for larger components such as external fuel tanks. This detail is required since any condition that might possibly give a SAR return (e.g., a small corner reflector) should be geometrically modeled. **Figures 14 and 15** are exterior views of a SAR-level target description with several areas of detail highlighted.



**Figure 14.** Example of a SAR-Level Target Description.





Figure 15. Example of a SAR-Level Target Description.

### 3.7 IR Signature

The **InfraRed (IR)** methodology is designed to predict surface temperatures of targets. The **Physically Reasonable Infrared Signature Model (PRISM)**<sup>[13]</sup> code is one of several such codes in use today. The PRISM code is a lumped parameter finite difference model which requires that geometric regions be represented as nodes. Thus, conversion processes are required to prepare a CSG model for input to this thermal model. The conversion process uses the geometry to create the nodal inputs (see **Figure 16**). Afterwards, the geometry is again referenced to display the resulting thermal predictions. The **Faceted Region Editor (FRED)**<sup>[14]</sup> and the **IRPREP**<sup>[15]</sup> are two such codes designed to convert BRL-CAD geometric models for input to the PRISM code.




**Figure 16.** Nodes Converted From BRL-CAD Geometry.

The thermal prediction models do place several unique requirements on the target description. The heat flow analysis requires that the CSG regions be isothermal. This means portions of the exterior shell of a vehicle, that would be modeled as one region for ballistic V/L analyses, may now need to be divided into a number of smaller regions to reduce temperature variance over the regions. PRISM requires that any region have only one surface normal. To accommodate this requirement, during the conversion, the surface normals are averaged over the region; hence, a large region with numerous surface normals should be divided into smaller regions. For example, if the turret of a tank is modeled as one large region, there will be only one surface normal associated with the whole turret (see **Figure 17**). As in the compartment and point burst V/L descriptions, the internal volume must be modeled as air regions. The only interior components required are those comprising the engine and air intake and exhaust ducts. All these requirements are further explained in the IRPREP reference.

#### **4. Managing BRL-CAD Data Files**

In the following sections, we will discuss the BRL-CAD data file and suggest an approach to managing it. The data file is designed to allow storage of huge volumes of information. In the 1970s, target descriptions consisting of 1,000 objects were considered high detail, yet today there are descriptions consisting of tens of thousands of objects. Individual components have been treated as a


system themselves and modeled down to the "wire" level (see **Figure 18**). Descriptions of dozens of separate targets have been combined in one file to represent whole military units (see **Figure 19**). All of these feats owe their success to the design and flexibility of the BRL-CAD database. We will look at how the data are stored, the internal file structure, and how data are referenced and organized.



**Figure 17.** Sliced Turret to Produce Different Normals.

#### 4.1 Data File Structure

The BRL-CAD data file is a binary UNIX file of sequential blocks or records of data. The actual organization of the data in any particular record depends on the type of information stored there. There are only two main types of records, the *solid* record and the *combination* record. The solid record stores all the parameters necessary to define the various primitives. The combination record is used to store all the other nonsolid objects. Its obvious function is to group any number of objects together. The combination record consists of a *header* record followed immediately by a series of *member* records. It is important to note that each member record in a combination contains a transformation matrix. Any editing is stored in these matrices. If the whole combination is edited, then every member matrix is modified to reflect this editing. Any member of a combination may be edited as part of that combination. In this case, only the appropriate member matrix is modified. The important fact to remember is that any editing of combinations is stored in transformation matrices. On the other hand, any editing of solids results in actual changes in the stored parameters.



**Figure 18.** High Detailed Individual Component Modeling.





Figure 19. Model of a Corps Command Post.

All objects in the BRL-CAD data file are referenced by a name. This name must be unique and may consist of any characters on the keyboard. One must, however, avoid using any special characters in a name, especially the /, \, \*, and !. Upper and lower case letters are considered different characters; thus, *Armor* and *armor* are different names. Names such as *plate#23(t=2.5)* and *wire\_1w235* are perfectly legal names. As expected, names are usually selected to identify the object as to its function, and the whole process has become quite individualized. We will discuss more about names in a later section.

#### 4.2 Creating Hierarchies

The BRL-CAD data file is naturally organized in a hierarchical nature (see **Figure 20**). From the discussion earlier about data records, one can see that every object in the data file is either a member of some combination or by definition, a top-level object. Hence, just by creating combinations, one is creating a hierarchy of objects. The primitives (solid records) are created first since under the CSG scheme they are the building blocks. The primitives are then combined into regions (combinations). The regions are next grouped together, usually to represent a component of the target. Next, several components are combined to represent a subsystem of the target. As these natural, logical groupings are accomplished, the hierarchical structure of the target emerges. This grouping process continues until one combination, *the top-level object*, represents the complete target. This hierarchy has been constructed from the bottom, where all the solids were defined, to the peak, where the top-level object reigns. This hierarchy is *evaluated* opposite of the way it was constructed, i.e., from the top, down.



**Figure 20.** The BRL-CAD Hierarchical Data Structure.

### 4.3 Some Conventions

As the modeling of a target progresses and the hierarchical structure takes shape, the user has the freedom to select names on a personal preference basis. However, it is beneficial to other users of the data if some conventions or standard practices are observed in the selection of the names. The following scheme is presently in use at the BVLD for the construction of BRL-CAD models of armored vehicles. This scheme can be used as a guide in selecting similar naming conventions for other classes of targets. The naming conventions for armored vehicles are concerned only with the top few levels of the hierarchy. The modeler is free to be creative at the lower levels.

As previously discussed in detail, BRL-CAD target descriptions are utilized in several V/L applications. It is only logical, therefore, that the top-level name[s] should indicate the intended usage. Upon seeing the top-level object name, any user would then know the intended application and, therefore, how the target was modeled. Note that the "tops" command in MGED (the BRL-CAD geometry editing code) will list all top-level objects in a BRL-CAD file. As we have seen, components are modeled differently depending on the intended application, and this difference is often in the amount of detail. The hierarchical nature of the data file allows one to create several versions of a single component while sharing common geometry. Extending this feature allows several versions of the same target to coexist in the database, sharing common elements. With this in mind, each top-level name has two characters assigned which are used to distinguish lower-level names. In the armored vehicle naming scheme, the following top-level names have been selected (the assigned two characters are in parentheses): *nuclear (nu)*, *compartment (ca)*, *component (co)*, *sparc (sp)*, *radar (ra)*, and *infrared (ir)*. As new applications arise, a similar top-level name and associated two-character designator will be chosen.

At the next level immediately below the top level, which we will call the (-1) level, we have selected three names: *turret.nn*, *hull.nn*, and *suspension.nn*. The "nn" suffixes represent the two characters assigned to the top-level names. At the next level below each of these names, the (-2) level, we have selected three names for the *hull.nn* and *turret.nn* groups. No further names have been selected for the *suspension.nn* group. For the *turret.nn* group, the following names have been selected: *tur.ext.nn*, *tur.int.nn*, and *tur.air.nn*. As no surprise, the following names have been selected for the *hull.nn* group: *hull.ext.nn*, *hull.int.nn*, and *hull.air.nn*. These lower-level naming conventions for armored vehicles are summarized in **Table 1**.



**TABLE 1.** Lower-Level Naming Conventions for Armored Vehicles.

Names	
(-1) Level	(-2) Level
turret.nn	tur.ext.nn tur.int.nn tur.air.nn
hull.nn	hull.ext.nn hull.int.nn hull.air.nn
suspension.nn	-none-

## 5. Modeling Philosophy


Probably one of the difficult parts of geometric modeling is where and how to begin the process. As with most procedures, the first step should consist of a review, analysis, and planning phase. Hopefully, some of what has been presented up to this point will help in this initial phase. The modeler should think about the task that lies ahead, considering such things as the following: just exactly what is the final expected product; what will the model be used for; how much descriptive information is available, and what form is it in; what, if anything, has been done in the past; and can existing ("library") components be used. Next, one should devise a general plan on how to accomplish the actual construction of the model, including rough time estimates for each phase. This general plan should include all the major subsystems of the target that must be modeled. For most military targets, the tersest general plan would consist of the following: (1) model the exterior shell, (2) model the internal air, and (3) model all the remaining components. Of course we are being facetious about step (3), but steps (1) and (2) of this general plan are genuine. The goal is to get a "correct" exterior shell (with internal air if necessary) before any components are added. If a tank were being modeled, the first steps might become as follows: model the hull shell, model the hull air, model the turret shell, and model the turret air.

Finally, since much of the modeling effort goes into step (3) (model all remaining components), we will discuss how to model components. This discussion will be more "cookbook" oriented, but we still will not go into the details. Other publications<sup>[16]</sup> have discussed geometric modeling with BRL-CAD in detail. As always, initially, time should be spent analyzing and planning. First analyze the component to be modeled and decide on the detail required, formulating exactly how to represent the component, including what solids to use and how to combine them into regions. Then create the solids, so they have the desired shape, size, and orientation. To take advantage of any symmetry, create the solids at the origin. Next combine the solids into the regions, then group these regions into a combination representing the completed component. At this point check for and

fix any interferences (regions occupying the same volume) within the component and create pictures for visual verification. Note that both of these actions are performed using ray-tracing. The model of the component is now completed, so it's time to move it to its location within the target. This task is accomplished by editing the combination (translate, scale, and/or rotate). Recall, this editing is stored in the matrices of the member records, so the components primitives (solid records) are still at the origin. It is recommended to "push" (an MGED command) this editing down to the solid records at this time. Next check for and fix any interferences between this component at its new location and the rest of the description. This process is repeated for every component that is to be modeled.

## 6. Summary

In this paper we have presented a general, overview type of approach to geometric modeling with BRL-CAD. We outlined the important link between the intended application and the overall requirements of the geometric model. We looked at an approach to effective BRL-CAD database management, based on the design of the database structure itself. We also presented some standard naming conventions that have proven effective for armored systems. Finally, we discussed the philosophy of geometric modeling and presented a general plan to accomplish any modeling project.



Intentionally Left Blank

## 7. References

1. Mathematical Applications Group, Inc. "A Geometric Description Technique Suitable for Computer Analysis of Both Nuclear and Conventional Vulnerability of Armored Military Vehicles." MAGI-6701, AD8-17576, August 1967.
2. Muuss, Michael, Keith Applin, Robert Suckling, Gary Moss, Earl Weaver, and Charles Stanley. "GED: An Interactive Solid Modeling System For Vulnerability Assessments." BRL-TR-02480, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, March 1983.
3. Muuss, Michael (compiler). "Ballistic Research Laboratory CAD Package, A Solid Modeling System and Ray-Tracing Benchmark Distribution Package." Release 1.2, June 1987, Release 3.0, October 1988, and Release 4.0, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, October 1991.
4. Rhoades, W. A. "Development of a Code System for Determining Radiation Protection of Armored Vehicles (The VCS Code)." ORNL-TM-4664, Oak Ridge National Laboratory, Oak Ridge, TN, October 1974.
5. Emmett, M. B. "The MORSE Monte Carlo Radiation Transport Code System." ORNL-TM-4972, Oak Ridge National Laboratory, Oak Ridge, TN, February 1975.
6. Schmoke, M., K. Applin, and W. Olson. "Computer Target Simulations Of The US M60A1 Tank For Use In Nuclear Vulnerability Analyses." Report No. 1943, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, November 1976.
7. Nail, C. L., T. E. Beardon, and E. Jackson. "Vulnerability Analysis Methodology Program (VAMP) - A Combined Compartment-Kill Vulnerability Model." CSC TR-79-5585, Computer Sciences Corporation, Madison, AL, October 1979.
8. Joint Technical Coordinating Group for Munitions Effectiveness. "VAREA Computer Program, Volume I - User Manual." 61JTCG/ME-71-6-1, Volume II - Analyst Manual, 61JTCG/ME-71-6-2, February 1971.
9. Joint Technical Coordinating Group for Munitions Effectiveness. "COVART II - A Simulation Program for Computation of Vulnerable Areas and Repair Times, User Manual." 61JTCG/ME-84-3, September 1985.
10. Nail, C. L. "Vulnerability Analysis For Surface Targets (VAST) - An Internal Point-Burst Vulnerability Assessment Model - Revision I." CSC TR-82-5740, Computer Sciences Corporation, Madison, AL, August 1982.
11. Deitz, Paul H., and Aivars Ozolins. "Computer Simulations of the Abrams Live-Fire Field Testing." Proceedings of the XXVII Annual Meeting of the Army Operations Research Symposium, 12-13 October, 1988, Ft. Lee, VA:

also BRL-MR-3755, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, May 1989.

12. Saccenti, John C., and Robert N. Schumacher. "SPARC Analysts' Methodology Handbook." BRL-TR-02562, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, April 1984.
13. Reynolds, William R. "PRISM User's Manual, Version 2.0." Keweenaw Research Center, Michigan Technological University, Houghton, MI, October 1989; PRISM 3.0 User's Manual, Houghton, MI, July 1991.
14. Buxton, E. T., D. R. Petzko, and J. Jones. "FRED User's Manual, Faceted Region EDitor." U.S. Army Tank-Automotive Command and OptiMetrics, Inc., Warren, MI, December 1989.
15. Coates, Susan A., and Edwin O. Davisson. "User's Manual For IRPREP." BRL-SP-96, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, September 1992.
16. Ellis, Carol A. "Vulnerability Analyst's Guide to Geometric Target Description." BRL-MR-4001, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, September 1992.

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
2	Administrator Defense Technical Info Center ATTN: DTIC-DDA Cameron Station Alexandria, VA 22304-6145	1	Commander U.S. Army Missile Command ATTN: AMSMI-RD-CS-R (DOC) Redstone Arsenal, AL 35898-5010
1	Commander U.S. Army Materiel Command ATTN: AMCAM 5001 Eisenhower Ave. Alexandria, VA 22333-0001	1	Commander U.S. Army Tank-Automotive Command ATTN: AMSTA-JSK (Armor Eng. Br.) Warren, MI 48397-5000
1	Director U.S. Army Research Laboratory ATTN: AMSRL-OP-CI-AD, Tech Publishing 2800 Powder Mill Rd. Adelphi, MD 20783-1145	1	Director U.S. Army TRADOC Analysis Command ATTN: ATRC-WSR White Sands Missile Range, NM 88002-5502
1	Director U.S. Army Research Laboratory ATTN: AMSRL-OP-CI-AD, Records Management 2800 Powder Mill Rd. Adelphi, MD 20783-1145	(Class. only) 1	Commandant U.S. Army Infantry School ATTN: ATSH-CD (Security Mgr.) Fort Benning, GA 31905-5660
2	Commander U.S. Army Armament Research, Development, and Engineering Center ATTN: SMCAR-IMI-I Picatinny Arsenal, NJ 07806-5000	(Unclass. only) 1	Commandant U.S. Army Infantry School ATTN: ATSH-WCB-O Fort Benning, GA 31905-5000
2	Commander U.S. Army Armament Research, Development, and Engineering Center ATTN: SMCAR-TDC Picatinny Arsenal, NJ 07806-5000	1	WL/MNOI Eglin AFB, FL 32542-5000  <u>Aberdeen Proving Ground</u>
1	Director Benet Weapons Laboratory U.S. Army Armament Research, Development, and Engineering Center ATTN: SMCAR-CCB-TL Watervliet, NY 12189-4050	2	Dir, USAMSAA ATTN: AMXSY-D AMXSY-MP, H. Cohen
1	Director U.S. Army Advanced Systems Research and Analysis Office (ATCOM) ATTN: AMSAT-R-NR, M/S 219-1 Ames Research Center Moffett Field, CA 94035-1000	1	Cdr, USATECOM ATTN: AMSTE-TC
		1	Dir, ERDEC ATTN: SCBRD-RT
		1	Cdr, CBDA ATTN: AMSCB-CII
		1	Dir, USARL ATTN: AMSRL-SL-I
		10	Dir, USARL ATTN: AMSRL-OP-CI-B (Tech Lib)

No. of Copies	Organization	No. of Copies	Organization
10	Central Intelligence Agency OIR/DB/Standard GE47 HQ Washington, DC 20505	1	Deputy Under Secretary of the Army for Operations Research ATTN: SAUS-OR (Hon Walt Hollis) The Pentagon, Room 2E660 Washington, DC 20310-0102
1	HQDA DAMI-FIT (COL Everson) WASH, DC 20310-1001	1	OUSD(A), ODT&E/LFT ATTN: COL Paul Severance, Mil Asst. The Pentagon, Room 3E1060 Washington, DC 20301-3001
1	HQDA DAMO-ZD (Mr. Riente) The Pentagon, Rm 3A538 WASH, DC 20310-0410	2	OUSD(A), ODT&E/LFT ATTN: James O'Bryon, Deputy Director Albert E. Rainis The Pentagon, Room 3E1060 Washington, DC 20301-3001
1	HQDA SARD-DO (Mr. Ron Minarchik) WASH, DC 20310-0102	1	SAF/AQT (Mr. George Warren) The Pentagon, Rm BE939 Washington, DC 20330-1000
1	HQDA SARD-DOV (COL Steve Dasher) WASH, DC 20310-0103	1	Assistant Deputy Under Secretary of the Navy ATTN: Fred Crowson Crystal Plaza 5, Room 162 2211 Jefferson Davis Hwy. Arlington, VA 22202
1	HQDA SARD-TT (Mr. Mike Clauson) WASH, DC 20310-0103	9	Defense Advanced Research Projects Agency ATTN: Mr. B. Bandy Mr. R. Kahn Dr. C. Kelly Mr. P. Losleben Dr. J. Lupo Mr. F. Patten Dr. Reynolds Mr. S. Squires COL J. Thorpe 3701 North Fairfax Drive Arlington, VA 22203-1714
1	HQDA OUSDA(A), DDRE(T&E) ATTN: COL Bernard (Chip) B. Ferguson The Pentagon WASH, DC 20301-3110	2	Central Intelligence Agency ATTN: ORD/PERD (Ray Cwiklinski) (Tom Kennedy) Washington, DC 20505
2	HQDA OUSD(A), DDDRE(R&AT-ET) ATTN: Mr. Rick Menz / Dr. James Short The Pentagon, Rm 3D1089 WASH, DC 20301-3080	1	Central Intelligence Agency ATTN: ORD/IERD (J. Fleisher) Washington, DC 20505
1	HQDA (Limres Study Group) ATTN: Shirley D. Ford The Pentagon, Room 1B929 WASH, DC 20310		
1	Office of the Assistant Secretary of the Army (Research, Development, and Acquisition) ATTN: LTG Cianciolo, Military Deputy Washington, DC 20310-0100		
1	Office of the Secretary of the Army (Research, Development, and Acquisition) ATTN: MG Beltson, Deputy for Systems Management Washington, DC 20310-0103		
1	Office of Deputy Director of Defense, R&E ATTN: Dr. William Snowden The Pentagon, Room 3D359 Washington, DC 20301		

No. of Copies	Organization	No. of Copies	Organization
2	Central Intelligence Agency ATTN: OLA (Barbara A. Kroggel) (Monica McGuinn) Washington, DC 20505	3	Director U.S. Army Research Office ATTN: SLCRO-MA (Dr. J. Chandra) (Dr. K. Clark) (Dr. Wu) P.O. Box 12211 Research Triangle Park, NC 27709-2211
1	Central Intelligence Agency ATTN: ORD (Donald Gerson) 1820 N. Fort Myer Drive Arlington, VA 22209	2	Director U.S. Army Survivability Management Office ATTN: SLCSM-C31 (H. J. Davis) SLCSM-D (COL H. Head) 2800 Powder Mill Road Adelphi, MD 20783-1145
1	Chief of Naval Operations OP-332D ATTN: Mr. Chuck Bogner Rm 4D537, The Pentagon Washington, DC 20350-2000	4	Commander U.S. Army ARDEC ATTN: SMCAR-CCH-V (Paul H. Gemmill) SMCAR-FSS-E (Jack Brooks) SMCAR-TD (Jim Killen) SMCAR-TDS (Vic Lindner) Picatinny Arsenal, NJ 07806-5000
1	Department of the Navy ATTN: RADM Charles R. McGrail, Jr. Pentagon, Room 4E536 Washington, DC 20350-2000	2	Commander Belvoir Research, Development and Engineering Center ATTN: STRBE-FC (Ash Patil) STRBE-JDA (Melvin Goss) Fort Belvoir, VA 22060-5606
4	Commander U.S. Army Materiel Command ATTN: AMCDE-PI (Dan Marks) AMCSI (Dr. R. Chait) AMCPD (Darold Griffin) AMCPD-PT (Alan Elkins) 5001 Eisenhower Avenue Alexandria, VA 22333-0001	1	Commander, USACECOM R&D Technical Library ATTN: ASQNC-ELC-IS-L-R, Myer Center Fort Monmouth, NJ 07703-5000
4	Commander U.S. Army Research Laboratory ATTN: AMSRL-CP-PA (K. Zastrow) AMSRL-CP-CC (J. Predham) AMSRL-CP-CC (D. Smith) AMSRL-SS-M (Marcos Sola) 2800 Powder Mill Road Adelphi, MD 20783-1145	3	Director Center for Night Vision and Electro-Optics ATTN: AMSEL-RD-NV-V (John Palmer) AMSEL-RD-NV-V (John Ho) AMSEL-RD-NV-D (Dr. R. Buser) Fort Belvoir, VA 22060-5677
1	Commandant U.S. Army Logistics Management College ATTN: AMXMC-LS-S (CPT(P) S. Parker) Ft. Lee, VA 23801		
1	Director Combat Development U.S. Army Transportation School ATTN: COL Elijah Toney Ft. Eustis, VA 23601		



No. of Copies	Organization	No. of Copies	Organization
7	Commander U.S. Army Foreign Science & Technology Ctr ATTN: AIFR (Bill Rich) MSIC (T. Walker) MSIC (R. Wittnebel) AIFRS (Gordon Spencer) AIFRS (Dr. Steven Carter) AIFRT (John Kosiewicz) AIFRE (S. Eitelman) 220 Seventh Street, NE Charlottesville, VA 22901-5396	1	Commander U.S. Army Tank-Automotive Command ATTN: AMCPM-BLK-III (COL Don Derrah) Warren, MI 48397-5000
		3	Commander U.S. Army Tank-Automotive Command ATTN: AMSTA-CK (M. Erickson) AMSTA-CK (Newell) AMSTA-RSK (Sam Goodman) Warren, MI 48090-5000
3	Director U.S. Army Missile & Space Intelligence Ctr ATTN: AMSMI-RD-GC-T (R. Alongi) AMSMI-RD-SS-AT (Ed Vaughn) AMSMI-RD (J. Bradas) Redstone Arsenal, AL 35898-5000	6	Commander U.S. Army Tank-Automotive Command ATTN: AMSTA-ZE (R. Asoklis) AMSTA-ZEA (C. Robinson) AMSTA-ZEA (R. Gonzalez) AMSTA-ZS (D. Rees) AMSTA-ZSS (J. Thompson) AMSTA-ZSS (J. Soltez) Warren, MI 48397-5000
1	Director U.S. Army Missile & Space Intelligence Ctr ATTN: AMSMI-YTSD (Glenn Allison) Redstone Arsenal, AL 35898-5070	1	Office of the PEO, Armored Sys Mod ATTN: SFAE-ASM-CV (Brian Bonkosky) Warren, MI 48397-5000
8	Director U.S. Army Missile and Space Intelligence Ctr ATTN: AIMS-RT (Pat Jordan) AIMS-YLD (Vernon L. Stalleup) AIMS-YRS (Thomas Blalock) AIMS-YRS (Pete Kirkland) AIMS-YRT (Francis G. Cline) AIMS-YRT (Don A. Slaymaker) AMSMI-REX (W. Pittman) Randy L. Smith Redstone Arsenal, AL 35898-5500	1	Commander HQ, TRADOC ATTN: Asst Dep Chief of Staff for Combat Operations Fort Monroe, VA 23651-5000
10	Commander U.S. Army Tank-Automotive Command ATTN: AMSTA-NKS (D. Cyaye) AMSTA-CR (Mr. Wheelock) AMSTA-CV (COL Becking) AMSTA-NKS (J. Rowe) AMSTA-RG (R. Munt) AMSTA-RG (R. McClelland) AMSTA-RSC (John Bennett) AMSTA-RSC (Wally Mick) AMSTA-RY (Ron Beck) AMSTA-JCS-RSC (Jim Revello) Warren, MI 48397-5000	1	Commander TRADOC ATTN: ATAN-AP (Mark W. Murray) Ft. Monroe, VA 23651-5143
		1	Director U.S. Army Engineer Waterways Experiment Station ATTN: CEWES-SE (Charles Joachim) 3909 Halls Ferry Road Vicksburg, MS 39180-6199
		1	Director U.S. Army Cold Regions Research and Development Laboratory ATTN: Technical Director (Lewis Link) 72 Lyme Road Hanover, NH 03755

No. of Copies	Organization	No. of Copies	Organization
1	U.S. Army Corps of Engineers Assistant Director R&D Directorate ATTN: Mr. B. Benn 20 Massachusetts Avenue, NW Washington, DC 20314-1000	3	Director U.S. Army Engineer Waterways Experiment Station ATTN: WESEN (Dr. V. LaGarde) WESEN (Mr. W. Grabau) WESEN-C (Mr. David Meeker) PO Box 631 Vicksburg, MS 39180-0631
1	Commander U.S. Army Operational Test & Evaluation Agency ATTN: MG Stephenson 4501 Ford Avenue Alexandria, VA 22302-1458	1	PM-AFAS ATTN: SFAE-ASM-AF-E (T. Kuriata) Picatinny Arsenal, NJ 07806-5000
1	Commander U.S. Army Vulnerability Assessment Laboratory ATTN: SLCVA-CF (Gil Apodaca) White Sands Missile Range, NM 88002-5513	4	Commander David Taylor Research Center ATTN: Code 1702 (Mr. Robert Wunderlick) Code 1740.2 (Mr. Fred J. Fisch) Code 1750 (Mr. William Conley) Code 1702 (Mr. Peter Gaus) Bethesda, MD 20084-5000
1	Director TRAC-WSMR ATTN: ATRC-RD (McCoy) WSMR, NM 88002-5502	1	Director Lawrence Livermore National Laboratory ATTN: Mark Wilkins (L-3321) PO Box 808 Livermore, CA 94551
2	U.S. General Accounting Office Program Evaluation & Methodology Division ATTN: Robert G. Orwin Joseph Sonnenfeld Room 5814 111 G Street, NW Washington, DC 20548	2	Director Los Alamos National Laboratory ATTN: Dean C. Nelsen, MS 985 Terrence Phillips, MS G787 PO Box 1663 Los Alamos, NM 87545
1	Director U.S. Army Model Improvement and Study Management Agency ATTN: SFUS-MIS (Eugene P. Visco) Crystal Square 2, Suite 808 1725 Jefferson Davis Highway Arlington, VA 22202	1	Director Los Alamos National Laboratory ATTN: LTC Michael V. Ziehm, MS F681 USMC PO Box 1668 Los Alamos, NM 87545
2	Director U.S. Army Industrial Base Engineering Activity ATTN: AMXIB-MT AMXIB-PS (Steve McGlone) Rock Island, IL 61299-7260	1	Director Los Alamos National Laboratory ATTN: Dr. Roy A. Lucht, MS J960 Group M-B Los Alamos, NM 87545
1	U.S. Army Engineer Topographic Laboratories ATTN: Technical Director (W. Boge) Fort Belvoir, VA 22060-5546		

No. of  
Copies Organization

- 1 Director  
Sandia National Laboratories  
ORG. 2300  
ATTN: Ron Andreas, Director  
P.O. Box 5800  
Albuquerque, NM 87185-5800
- 1 Director  
Sandia National Laboratories  
Division 1611  
ATTN: Tom James  
Albuquerque, NM 87185
- 1 Director  
Sandia National Laboratories  
Division 1623  
ATTN: Larry Hostetler  
Albuquerque, NM 87185
- 1 Director  
Sandia National Laboratories  
ATTN: Gary W. Richter  
PO Box 969  
Livermore, CA 94550
- 1 Commander  
U.S. Naval Air Systems Command  
JTCG/AS Central Office  
ATTN: 5164J (LTC James B. Sebolka)  
Washington, DC 20361
- 1 Commander  
ADR PM, Code AIR-411121  
ATTN: Tom Furlough  
Naval Air Systems Command  
Washington, DC 20361-4110
- 1 Commander  
U.S. Naval Ocean Systems Center  
ATTN: Earle G. Schweizer, Code 000  
San Diego, CA 92151-5000
- 4 Commander  
U.S. Naval Surface Warfare Center  
ATTN: Gregory J. Budd  
James Ellis  
Barbara J. Harris  
Constance P. Rollins  
Code G13  
Dahlgren, VA 22148-5000

No. of  
Copies Organization

- 3 Commander  
Naval Surface Warfare Center  
ATTN: Glen Hornbaker, Code G102  
George Williams, Code J33  
Thomas Wasmund, Code G29  
Dahlgren, VA 22148-5000
- 5 Commander  
U.S. Naval Surface Warfare Center  
ATTN: Frank Fassnacht, Code N15  
Norma D. Holland, Code R14  
William McDonald, Code R14  
Dr. F. E. Baker  
William Emberson, Code H021  
10901 New Hampshire Ave.  
Silver Spring, MD 20903-5000
- 1 Commander  
U.S. Naval Surface Warfare Center  
ATTN: M. John Timo  
10509 Edgefield Drive  
Adelphi, MD 20783-1130
- 2 Commander  
U.S. Naval Weapons Center  
ATTN: Jay Butterworth, Code 3951  
Dr. Helen Wang, Code 3951  
Bldg 1400, Room B20  
China Lake, CA 93555-6001
- 9 Commander  
U.S. Naval Weapons Center  
ATTN: David H. Hall, Code C218  
Mark D. Alexander, Code 3894  
Melvin H. Keith, Code C28104  
John Manion, Code 3386  
Tim Horton, Code 3386  
Robert Cox, Code C2817  
Rex Randolph, Code C2817  
William Tonkin, Code 35104  
Terry J. Wilson, Code C281  
China Lake, CA 93555-6001
- 1 Commander  
U.S. Naval Civil Eng Laboratories  
ATTN: John M. Ferritto, Code 153  
Port Hueneme, CA 93043

No. of  
Copies Organization

- 1 Naval Postgraduate School  
Dept of Aeronautics & Astronautics  
ATTN: Prof. Robert E. Ball  
Monterey, CA 93943
- 1 Naval Postgraduate School  
ATTN: Dr. Michael J. Zyda, Code 52  
Department of Computer Science  
Monterey, CA 93943-5000
- 1 Naval Postgraduate School  
Department of National Security  
ATTN: Dr. Joseph Sternberg, Code 73  
Monterey, CA 93943
- 1 Commander  
Naval Air Sysytems Command  
ATTN: Philip Weinberg, AIR-516J  
Washington, DC 20361-5160
- 1 Commander  
Naval Sea Sysytems Command  
ATTN: William Boyce, Code 56Y52  
Washington, DC 20362
- 1 Commander  
U.S. Naval Sea Systems Command  
ATTN: Granville Broome, SEA 5011  
2521 Jefferson Davis Hwy.  
Arlington, VA 22202
- 3 Commander  
U.S. Naval Sea Systems Command  
ATTN: Philip Covich, SEA 55X  
CPT Charles Calvano, SEA 50  
Robert Keane, SEA 50  
Washington, DC 20362-5101
- 2 Commander  
U.S. Naval Sea Systems Command  
ATTN: Oliver F. Braxton  
Donald Ewing, Code 503  
2521 Jefferson Davis Hwy.  
Arlington, VA 22202
- 3 Commander  
U.S. Naval Sea Systems Command  
ATTN: Anthony F. Johnson, SEA 05R2  
CPT William Mahew, PMS 423  
Carl H. Pohler, Code 05R23  
Washington, DC 20362-5101

No. of  
Copies Organization

- 1 Commander  
U.S. Naval Sea Systems Command  
ATTN: CPT R. Percival USN, SEA 05T  
2521 Jefferson Davis Hwy.  
Arlington, VA 22202
- 1 Commander  
Space & Naval Warfare Systems Command  
ATTN: Paul Wessel, Code 30T  
Washington, DC 20363-5100
- 2 Commander  
David W. Taylor Ship & Development Ctr.  
ATTN: W. Conley, J. Schot  
Bethesda, MD 20084
- 1 Office of Naval Technology  
ATTN: David J. Siegel  
800 N. Quincy Street  
Arlington, VA 22217-5000
- 1 Commander  
46 TW/EAL  
104 Cherokee Avenue  
ATTN: Robert L. Stovall  
Eglin AFB, FL 32542-5000
- 2 WL/MNMW  
Mr. John A. Collins  
Dr. Bill Cook  
Eglin AFB, FL 32542-5434
- 1 Commander  
AFEWG/SAXE  
Mr. Bob Eddy  
Kelly AFB, TX 78243-5000
- 1 Commander  
AFWAL/AARA  
ATTN: Ed Zelano  
Wright-Patterson AFB, OH 45433
- 1 Commander  
AFWAL/FIES  
ATTN: James Hodges Sr.  
Wright-Patterson AFB, OH 45433-6523

No. of  
Copies Organization

2 USAF  
WL/MTI  
ATTN: Mr. William Russell  
David L. Judson  
Wright-Patterson AFB, OH 45433-6533

2 Commander  
ASC/WL/FIVS  
ATTN: Martin Lentz  
Ralph Lauzze  
Wright-Patterson AFB, OH 45433-6553

1 Commander  
WRDC/AARA  
ATTN: Michael L. Bryant  
Wright-Patterson AFB, OH 45433

1 Commander  
FTD/SDMBA  
ATTN: Charles Darnell  
Wright-Patterson AFB, OH 45433

Commander  
FTD/SDMBU  
ATTN: Kevin Nelson  
Wright-Patterson AFB, OH 45433

1 Commander  
FTD/SQDRA  
ATTN: Greg Koesters  
Wright-Patterson AFB, OH 45433-6508

1 Commander  
FTD  
ATTN: Tom Reinhardt  
Wright-Patterson AFB, OH 45433

1 Commander  
FTD/SDAEA  
ATTN: Joe Sugrue  
Wright-Patterson AFB, OH 45433

1 Commander  
AFWAL/AARA  
ATTN: Vincent Velten  
Wright-Patterson AFB, OH 45433

1 Commander  
FTD/SQDRA  
ATTN: Larry E. Wright  
Wright-Patterson AFB, OH 45433

No. of  
Copies Organization

1 Commander  
AD/CZL  
ATTN: James M. Heard  
Eglin AFB, FL 32542-5000

1 Commander  
AD/ENYW  
ATTN: Jim Richardson  
Eglin AFB, FL 32542-5000

1 Commander  
U.S. Army FSTC/CA3  
ATTN: Scott Mingledorff  
220 Seventh Avenue  
Charlottesville, VA 22901-5396

1 Commander  
U.S. Army FSTC (UK)  
ATTN: MAJ J. Garnett  
220 Seventh Avenue  
Charlottesville, VA 22901-5396

1 Commander  
U.S. Army FSTC  
ATTN: Dr. Tim Small  
220 Seventh Avenue  
Charlottesville, VA 22901-5396

1 Defense Intelligence Agency  
ATTN: DB-6E3 (Jay Hagler)  
Washington, DC 20340-6763

6 Institute for Defense Analysis  
ATTN: Mr. Irwin A. Kaufman  
Mr. Arthur O. Kresse  
Dr. Lowell Tonnessen  
Mr. Benjamin W. Turner  
Ms. Sylvia L. Waller  
Mr. Dave Hardison  
1801 N. Beauregard Street  
Alexandria, VA 22311

1 Institute for Defense Analyses  
ATTN: Carl F. Kossack  
1005 Athens Way  
Sun City, FL 33570

1 Institute for Defense Analyses  
ATTN: Dr. Natarajan Subramonian  
14309 Hollyhock Way  
Burtonsville, MD 20866

No. of Copies	Organization	No. of Copies	Organization
1	Department of Commerce National Institute of Standards and Technology Manufacturing Systems Group ATTN: B. Smith Washington, DC 20234	1	Alliant Techsystems, Inc. ATTN: Hatem Nasr Systems and Research Center 3660 Technology Drive P.O. Box 1361 Minneapolis, MN 55418
1	AAI Corporation ATTN: H. W. Schuette PO Box 126 Hunt Valley, MD 21030-0126	2	Alliant Techsystems, Inc. ATTN: Raymond H. Burg Laura C. Dillway MN50-2560 5901 Lincoln Drive Edina, MN 55436
2	American Defense Preparedness Association ATTN: Donna R. Alexander Bill King Two Colonial Place, Suite 400 2101 Wilson Boulevard Arlington, VA 22201-3061	1	Aluminum Company of America ATTN: Frank W. Baker Alcoa Technical Center Alcoa Center, PA 15069
1	Alliant TechSystems, Inc ATTN: Paul Schmidt 7225 Northland Drive Brooklyn Park, NM 55428	1	Analysis and Technology ATTN: RADM Thomas Hopkins USN (Ret) 1113 Carper Street McLean, VA 22101
1	ARC Professional Services Group ATTN: Arnold R. Gritzke 5501 Backlick Road Springfield, VA 22151	1	ANSER ATTN: James W. McNulty 1215 Jefferson Davis Highway Arlington, VA 22202
2	Advanced Marine Enterprises ATTN: James F. Hess CPT Frederic S. Hering USN (Ret) 1725 Jefferson Davis Highway Suite 1300 Arlington, VA 22202	1	ARC C-500 ATTN: John H. Bucher Modena Road Coatesville, PA 19320
1	AFELM, The Rand Corporation ATTN: Library-D 1700 Main Street Santa Monica, CA 90406	1	Armored Vehicle Technologies ATTN: Coda M. Edwards PO Box 2057 Warren, MI 48090
2	Air Force Wright Aeronautical Labs ATTN: CDJ, CPT Jost CDJ, Joseph Faison Wright-Patterson AFB, OH 45433-6523	1	ASI Sytems, International ATTN: Dr. Michael Stamatelatos 3319 Lone Jack Road Encinitas, CA 92024
1	Alliston Gas Turbine Division of GM ATTN: William D. Farrar PO Box 420, SC S22B Indianapolis, IN 46260-0420	1	Auburn University Electrical Engineering Department ATTN: Dr. Thomas Shumpert Auburn University, AL 36849

No. of  
Copies Organization

- 1 A.W. Bayer and Associates  
ATTN: Albert W. Bayer, President  
Marina City Club  
4333 Admiralty Way  
Marina del Rey, CA 90292-5469
- 1 Battelle Research Laboratory  
ATTN: TACTEC Library (J.N. Huggins)  
505 King Avenue  
Columbus, Ohio 43201-2693
- 1 Battelle Research Laboratory  
Defense and Space Systems Analysis  
ATTN: Dr. Richard K. Thatcher  
505 King Avenue  
Columbus, Ohio 43201-2693
- 1 Battelle Research Laboratory  
ATTN: Bernard J. Tullington  
4001 Fairfax Drive #600  
Arlington, VA 22203-1617
- 3 BMY, Division of Harsco  
ATTN: William J. Wagner, Jr.  
Ronald W. Jenkins  
Ed Magalski  
PO Box 1512  
York, PA 17404
- 3 Battelle  
Edgewood Operations  
ATTN: Roy Golly  
Gene Roecker  
Robert Jameson  
2113 Emmorton Park Road  
Edgewood, MD 21040
- 1 The BDM Corporation  
ATTN: Edwin J. Dorchak  
7915 Jones Branch Drive  
McLean, VA 22102-3396
- 1 Dynetics, Inc.  
ATTN: Mr. James Miller  
P.O. Box Drawer B  
Huntsville, AL 35811-5050
- 1 Bell Helicopter, Textron  
ATTN: Jack R. Johnson  
PO Box 482  
Fort Worth, TX 76101

No. of  
Copies Organization

- 1 Board on Army Science and Technology  
National Research Council  
Room MH 280  
2101 Constitution Avenue, NW  
Washington, DC 20418
- 2 Boeing Aerospace  
ATTN: Dr. Robert Chiavetta, MS-8K17  
Dr. John Kuras, MS-8K17  
P.O. Box 3999  
Seattle, WA 98124-2499
- 1 Boeing Military Airplanes  
ATTN: MS K80-08, Jerry White  
PO Box 7730  
Wichita, KA 67277-7730
- 1 Boeing Vertol Company  
A Division of Boeing Company  
ATTN: MS P30-27, John E. Lyons  
PO Box 16858  
Philadelphia, PA 19142
- 1 Booz-Allen and Hamilton, Inc.  
ATTN: Dr. Richard B. Benjamin  
Suite 131, 4141 Colonel Glenn Hwy.  
Dayton, OH 45431
- 1 Booz-Allen and Hamilton, Inc.  
ATTN: John M. Vice  
WRDC/FIVS/SURVLAC  
Bldg 45, Area B  
Wright-Patterson AFB, OH 45433-6553
- 1 John Brown Associates  
ATTN: Dr. John A. Brown  
PO Box 145  
Berkeley Heights, NJ 07922-0145
- 1 Chamberlain  
ATTN: Mark A. Sackett  
PO Box 2545  
Waterloo, LA 50704
- 2 Commander  
Combined Arms Combat Development  
ATTN: ATZL-CAP (LTC Morrison)  
ATZL-HFM (Dwain Skelton)  
Ft. Leavenworth, KS 66027-5300

No. of  
Copies Organization

- 1 Computer Sciences Corporation  
Integrated Systems Division  
ATTN: Abner W. Lee  
9668 Highway 20 West, Suite 1  
Madison, AL 35758
- 1 CRS Serrine, Inc.  
ATTN: Dr. James C. Smith  
PO Box 22427  
1177 West Loop South  
Houston, TX 77227
- 2 Cypress International  
ATTN: James Logan  
August J. Caponecchi  
1201 E. Abingdon Drive  
Alexandria, VA 22314
- 1 DATA Networks, Inc.  
ATTN: William E. Regan, Jr.  
288 Greenspring Station  
Brooklandville, MD 21022
- 1 Datatec, Inc.  
ATTN: Donald E. Cudney  
326 Green Acres  
Fort Walton, FL 32548
- 3 David Taylor Research Center  
ATTN: Robert E. Fuss, URED, Code 177  
John R. Krezel, URED, Code 177.2  
Michael Riley, URED, Code 177  
Portsmouth, VA 23709-5000
- 10 David Taylor Research Center  
ATTN: Seymour N. Goldstein, Code 1210  
Ib S. Hansen, Code 174  
Harry Price Gray, Code 1740.4  
Jackson T. Hawkins, Code 1740.2  
Steven L. Cohen, Code 1230  
Dennis Clark, Code 0111  
Dr. Paul C. St. Hilaire, Code 1210  
Richard E. Metrey, Code 01  
J. William Sykes, Code 175  
Herbert Wolk, Code 1740.1  
Bethesda, MD 20084-5000
- 1 David Taylor Research Center  
ATTN: Arthur Marchand, Code 2843  
Annapolis, MD 21042

No. of  
Copies Organization

- 1 University of Dayton  
Graduate Engineering and Research  
Kettering Lab 262  
ATTN: Dr. Gary Thiele, Director  
Dayton, OH 45469
- 1 Defense Nuclear Agency  
Structural Dynamics Section  
ATTN: Tom Tsai  
Washington, DC 20305
- 1 Delco Systems Operation  
ATTN: John Steen  
6767 Hollister Avenue, #P202  
Goleta, CA 93117
- 1 Dow Chemical, U.S.A.  
ATTN: Dr. P. Richard Stoesser  
1801 Building, Contract R&D  
Midland, MI 48674-1801
- 2 Denver Research Institute  
ATTN: Lawrence G. Ulliyatt  
Larry Nutsch  
2050 E. Iliff Avenue, BW 228  
Denver, CO 80208
- 1 Drexel University  
ATTN: Dr. Pei Chi Chou  
College of Engineering  
Philadelphia, PA 19104
- 1 DuPont Company FPD  
ATTN: Dr. Oswald R. Bergmann  
B-1246, 1007 Market Street  
Wilmington, DE 19898
- 1 Dynamics Analysis and Test Associates  
ATTN: Dr. C. Thomas Savell  
2231 Faraday Ave  
Suite 103  
Carlsbad, CA 92008
- 1 E. I. Dupont TED FMC  
ATTN: Richard O. Myers Jr.  
Wilmington, DE 19898
- 1 Eichelberger Consulting Company  
ATTN: Dr. Robert Eichelberger  
409 West Catherine Street  
Bel Air, MD 21014



No. of Copies	Organization	No. of Copies	Organization
1	Electronic Warfare Associates, Inc. ATTN: William V. Chiaramonte 2071 Chain Bridge Road Vienna, VA 22180	2	BDM International ATTN: Mr. Steve Church, FX2B307 Mr. Tom Hooker, FF2B304 7915 Jones Branch Drive McLean, VA 22102-3396
1	Emprise, Ltd. ATTN: Bradshaw Armendt, Jr 201 Crafton Road Bel Air, MD 21014	1	Comarco Weapons Support Division ATTN: Robert Sewell 1201 N. China Lake Boulevard Ridgecrest, CA 93555
1	ERIM ATTN: Stephen R. Stewart Exploitation Applications Department Image Processing Systems Division PO Box 8618 Ann Arbor, MI 48107-8618	1	FMC Corporation Defense Systems Group ATTN: Robert Burt 200 E. Randolph Drive Chicago, IL 60601
1	E-OIR Measurements, Inc. ATTN: Russ Moulton PO Box 1240 Spotsylvania, VA 22553-1240	1	FMC Corporation Defense Systems Group ATTN: Dennis R. Nitschke 2830 De La Cruz Blvd. P.O. Box 58123 Santa Clara, CA 95052
8	Environmental Research Institute of Michigan ATTN: Mr. K. Augustyn Mr. Kozma Dr. I. La Haie Mr. R. Horvath Mr. Arnold Mr. E. Cobb Mr. B. Morey Mr. M. Bair PO Box 134001 Ann Arbor, MI 48113-4001	1	FMC Corporation Naval Systems Division (NSD) ATTN: MK-45, Randall Ellis 4800 East River Road Minneapolis, MN 55421-1498
1	USA ETL/IAG ATTN: Jim Campbell Bldg 2592, Room S18 Ft. Belvoir, VA 22060-5546	1	FMC Corporation Northern Ordnance Division ATTN: M3-11, Barry Brown 4800 East River Road Minneapolis, MN 55421-1498
1	FMC Corporation ATTN: Sidney Kraus 1105 Coleman Ave. Box 1201 San Jose, CA 95108	6	FMC Corporation Ordnance Engineering Division ATTN: H. Croft M. Hatcher L. House J. Jackson E. Maddox R. Musante 1105 Coleman Ave, Box 1201 San Jose, CA 95108
3	FMC Corporation ATTN: Ronald S. Beck Martin Lim Jacob F. Yacoub 881 Martin Avenue Santa Clara, CA 95052		

No. of  
Copies Organization

- 1 GE Aircraft Engines  
ATTN: Dr. Roger B. Dunn  
One Neumann Way, MD J185  
Cincinnati, OH 45215-6301
- 3 General Dynamics Land Systems  
ATTN: MZ-4362055, Gary Jackman  
Dr. Paulus Kersten  
William M. Mrdeza  
P.O. Box 2074  
Warren, MI 48317
- 4 General Dynamics Corporation  
ATTN: MZ-5965, Dr. Fred Cleveland  
MZ-2650, Dave Bergman  
MZ-2860, John Romanko  
MZ-2844, Cynthia Waters  
PO Box 748  
Ft. Worth, TX 76101-0748
- 6 General Dynamics Land Systems  
ATTN: Richard Auyer  
Otto Renius  
N. S. Sridharan  
Dean R. Loftin  
Dr. Phil Lettn  
Don Yustick, MZ 436-21-19  
PO Box 2074  
Warren, MI 48090-2074
- 1 General Motors Corporation  
Research Laboratories  
ATTN: R. Sarraga  
30500 Mound Road  
Warren, MI 48090
- 1 General Motors Corporation  
Allison Gas Turbine Division  
ATTN: Dr. John A. MacBain  
Low Observables Technology  
PO Box 420, Speed Code W-16  
Indianapolis, IN 46206-0420
- 1 GTRI-RAIL-MAD  
ATTN: Mr. Joe Bradley  
CRB 577  
Atlanta, GA 30332

No. of  
Copies Organization

- 1 Hughes Associates  
ATTN: J. Thomas Hughes  
6770 Oak Hall Ln #125  
Columbia, MD 21045-4768
- 2 INEL/EG&G  
ATTN: Ray Berry  
M. Marx Hintze  
PO Box 1625  
Idaho Falls, ID 83451
- 1 Rensselaer Polytechnic Inst.  
Interactive Computer Graphics Center  
ATTN: M. Wozny  
Troy, NY 12181
- 1 International Development Corporation  
ATTN: Trevor O. Jones  
One Cleveland Center, Suite 2900  
1375 East Ninth Street  
Cleveland, OH 44114-1724
- 1 Intergraph  
National Exploitation Systems  
ATTN: John H. Suter  
2051 Mercator Drive  
Reston, VA 22091-3413
- 1 ISAT  
ATTN: Roderick Briggs  
1305 Duke Street  
Alexandria, VA 22314
- 1 ITT Defense  
ATTN: Joseph Conway  
1000 Wilson Blvd., 30th Floor  
Arlington, VA 22209
- 1 Joint Technical Coordinating Group  
ATTN: Philip Weinberg  
JTCCG/AS5  
AIR-516J5  
Washington, DC 20361-5160
- 1 California Institute of Technology  
Jet Propulsion Laboratory  
ATTN: D. Lewis  
4800 Oak Grove Drive  
Pasadena, CA 91109

No. of  
Copies Organization

- 1 Kaman Sciences Corporation  
ATTN: Timothy S. Pendergrass  
600 Boulevard South, Suite 208  
Huntsville, AL 35802
- 1 Ketron, Inc.  
ATTN: Robert S. Bennett  
901 Dulaney Valley Rd, Suite 220  
Baltimore, MD 21204-2600
- 2 Keweenaw Research Center  
Michigan Technological University  
ATTN: Bill Reynolds  
Allen Curran  
Houghton, MI 49931
- 1 Lanxido Armor Products  
ATTN: Dr. Robert A. Wolffe  
Tralee Industrial Park  
Newark, DE 19711
- 1 Meredith Company  
ATTN: Dr. F. Paul Carlson  
5001 West 80th Street  
Suite 500  
Minneapolis, MN 55437
- 2 Lincoln Laboratory, MIT  
ATTN: Dr. Robert Shin  
Dr. Chuck Burt  
P.O. Box 73  
Lexington, MA 02173
- 1 Lincoln Laboratory, MIT  
Surveillance Systems Group  
ATTN: R. Barnes  
G. Knittel  
J. Kong  
244 Wood Street  
Lexington, MA 02173-0073
- 3 Lockheed-California Company  
ATTN: C. A. Burton  
R. J. Ricci  
M. Steinberg  
Burbank, CA 91520

No. of  
Copies Organization

- 1 Lockheed Palo Alto Research Lab  
ATTN: John A. DeRuntz, JR  
0/93, B/25I  
3251 Hanover Street  
Palo Alto, CA 94304
- 1 Logistics Management Institute  
ATTN: Edward D. Simms Jr.  
6400 Goldsboro Road  
Bethesda, MD 20817-5886
- 1 Los Alamos Technical Associates, Inc.  
ATTN: Jon Davis  
6501 Americas Parkway, #900  
Albuquerque, NM 87110
- 2 Los Alamos Technical Associates, Inc.  
ATTN: James C. Jacobs  
Donald M. Lund  
8550 Arlington Boulevard  
Suite 301  
Fairfax, VA 22031
- 1 Los Alamos Technical Associates, Inc.  
ATTN: Thomas Giacofci  
3020 Hamaker Court  
Fairfax, VA 22031
- 1 LTV Aerospace and Defense Company  
ATTN: Daniel M. Reedy  
PO Box 655907  
Dallas, TX 75265-5907
- 3 Martin Marietta Aerospace  
ATTN: MP-113, Dan Dorfman  
MP-433, Richard S. Dowd  
MP-243, Thomas C. D'Isepo  
PO Box 555837  
Orlando, FL 32855-5837
- 1 Maxwell Laboratories, Inc.  
ATTN: Dr. Michael Holland  
8888 Balboa Avenue  
San Diego, CA 92123-1506
- 1 McDonnell Douglas Astronautic  
ATTN: Nikolai A. Louie  
5301 Bolsa Avenue  
Huntington Beach, CA 92647

No. of  
Copies Organization

- 1 McDonnell Douglas, Inc.  
ATTN: David Hamilton  
PO Box 516  
St. Louis, MO 63166
- 1 McDonnell Douglas, Inc.  
ATTN: Alan R. Parker  
3855 Lakewood Blvd., MC 35-18  
Long Beach, CA 90846
- 1 Micro Electronics of North Carolina  
ATTN: Gershon Kedem  
PO Box 12889  
Research Triangle Park, NC 07709
- 1 MIT  
ATTN: Dr. S. Benton  
RE15-416  
Cambridge, MA 02139
- 6 The MITRE Corporation  
ATTN: Edward C. Brady, Vice President  
Dr. Robert Henderson  
Dr. Nicklas Gramenopoulos  
Dr. Narayana Srinivasan  
Norman W. Huddy  
Dr. John M. Ruddy  
7525 Colshire Drive  
McLean, VA 22102-3184
- 2 NFK Engineering, Inc.  
ATTN: Dr. Michael P. Pakstys  
Justin W. Held  
4200 Wilson Blvd.  
Arlington, VA 22203-1800
- 1 NFK Engineering, Inc.  
ATTN: John J. Turner  
1125 Trotting Horse Lane  
Great Falls, VA 22066
- 2 NASA-Ames Research Center  
ATTN: Dr. Alex Woo, MS 227-2  
Leroy Presley, MS 227-4  
Moffett Field, CA 94035-1000
- 1 NAVIR DEVCON  
ATTN: Frank Wenograd  
Code 6043  
Walminstor, PA 18974

No. of  
Copies Organization

- 1 North Aircraft  
ATTN: Dr. Athanosis Varvatsis  
Mail Zone 3622/84  
1 Northrop Ave  
Hawthorne, CA 90250
- 1 Northrop Research & Technology Center  
ATTN: Dr. David Donovan Garber  
One Research Park  
Palos Verdes Peninsula, CA 90274
- 1 Norton Company  
ATTN: Ronald K. Bart  
1 New Bond Street  
Worcester, MA 01606-2698
- 1 The Oceanus Company  
ATTN: RADM Robert H. Gormley, Ret  
PO Box 7069  
Menlo Park, CA 94026
- 1 Oklahoma State University  
College of Engineering, Architecture  
and Technology  
ATTN: Thomas M. Browder, Jr.  
PO Box 1925  
Eglin AFB, FL 32542
- 1 Pacific Scientific/Htl Division  
ATTN: Robert F. Aldrich  
1800 Highland Avenue  
Duarte, CA 91010
- 1 Princeton University  
Mathematics Department, Fine Hall  
ATTN: John Tukey  
Washington Road  
Princeton, NJ 08544-1000
- 1 PRI, Inc.  
ATTN: W. Bushell  
Building E4435, Second Floor  
Edgewood Area-APG, MD 21010
- 1 Rockwell International Corporation  
ATTN: Dr. H. Bran Tran  
P.O. Box 92098  
Department 113, GB01  
Los Angeles, CA 90009

No. of  
Copies Organization

- 2 Rome Air Development Center  
ATTN: RADC/IRRE, Peter J. Costianes  
RADC/OCTM, Edward Starczewski  
Building 106  
Griffis Air Force Base, NY 13441-5700
- 1 S-Cubed  
ATTN: Michael S. Lancaster  
1800 Diagonal Road, Suite 420  
Alexandria, VA 22314
- 1 Sachs/Freeman Associates, Inc.  
ATTN: Donald W. Lynch  
205 Yoakum Parkway, #511  
Alexandria, VA 22304
- 1 SAIC  
ATTN: Dr. Alan J. Toepfer  
2109 Air Park Drive, SE  
Albuquerque, NM 87106
- 1 SAIC  
ATTN: John H. McNeilly,  
1710 Goodridge Drive  
McLean, VA 22102
- 2 SAIC  
ATTN: Terry Keller  
Robert Turner  
1010 Woodman Drive, Suite 200  
Dayton, OH 45432
- 2 George Sharp Company  
ATTN: Dennis M. McCarley  
Roger O. Mau  
2121 Crystal Drive, Suite 714  
Arlington, VA 22202
- 1 Sidwell-Ross and Associates, Inc.  
ATTN: LTG Marion C. Ross, USA (Ret)  
PO Box 88531  
Atlanta, GA 30338
- 1 Sigma Research Inc.  
ATTN: Dr. Richard Bossi  
4014 Hampton Way  
Kent, WA 98032

No. of  
Copies Organization

- 1 Simula, Inc.  
ATTN: Joseph W. Coltman  
10016 South 51st Street  
Phoenix, AZ 85044
- 1 SimTech  
ATTN: Dr. Annie V. Saylor  
3307 Bob Wallace Ave., Suite 4  
Huntsville, AL 35807
- 1 Alan Smolen and Associates, Inc.  
ATTN: Alan Smolen, President  
One Cynthia Court  
Palm Coast, FL 32027-8172
- 3 Southwest Research Institute  
ATTN: Martin Goland  
Alex B. Wenzel  
Patrick H. Zabel  
P.O. Drawer 28255  
San Antonio, TX 78228-0255
- 3 Sparta, Inc.  
ATTN: David M. McKinley  
Robert E. O'Connor  
Karen M. Rooney  
4901 Corporate Drive  
Huntsville, AL 35805-6201
- 1 SRI International  
ATTN: Donald R. Curran  
333 Ravenswood Ave.  
Menlo Park, CA 94025
- 1 Star Laboratory, Stanford University  
ATTN: Dr. Joseph W. Goodman  
Electrical Engineering Department  
233 Durand Building  
Stanford, CA 94305-4055
- 1 University of Michigan  
ATTN: Dr. John F. Vesecky  
2212 Space Research Blvd.  
Ann Arbor, MI 48109-2143
- 1 Princeton University  
ATTN: Dr. Curt Callen  
Physics Department  
PO Box 708  
Princeton, NJ 08544

No. of  
Copies Organization

- 1 University of California, San Diego  
ATTN: Dr. Gordon J. MacDonald  
Institute on Global Conflict  
and Cooperation (0518)  
9500 Gilman Drive  
La Jolla, CA 92093-0518
- 1 Structural Dynamics Research  
Corporation (SDRC)  
ATTN: R. Ard  
2000 Eastman Drive  
Milford, OH 45150
- 1 Syracuse Research Group  
ATTN: Dr. Chung-Chi Cha  
Merrill Lane  
Syracuse, NY 13210
- 1 System Planning Corporation  
ATTN: Ann Hafer  
1500 Wilson Blvd  
Arlington, VA 22209
- 1 S-Cubed  
ATTN: Robert T. Sedgwick  
PO Box 1620  
La Jolla, CA 92038-1620
- 2 TASC  
ATTN: Richard Kinsler  
Darrel James  
1992 Lewis Turner Boulevard  
Ft. Walton Beach, FL 32548-1255
- 1 TASC  
ATTN: COL James Logan (Ret)  
1101 Wilson Blvd, Suite 1500  
Arlington, VA 22209
- 1 COLSA, inc.  
ATTN: Mr. Willy Albanes  
P.O. Box 1068  
Huntsville, AL 35807-3301
- 1 Techmatics, Inc.  
ATTN: Ronald R. Rickwald  
2231 Crystal Drive  
Arlington, VA 22202-3742

No. of  
Copies Organization

- 1 Technical Solutions, Inc.  
ATTN: John R. Robbins  
P.O. Box 1148  
Mesillia Park, NM 88047
- 1 Teledyne Brown Engineering  
ATTN: John W. Wolfberger, Jr.  
Cummings Research Park  
300 Sparkman Drive, NW  
PO Box 070007  
Huntsville, AL 35807-7007
- 1 Tradeways, Ltd.  
ATTN: Joseph G. Gorski  
307F Maple Avenue West  
Vienna, VA 22180
- 1 Ultramet  
ATTN: Dr. Jacob J. Stiglich  
12173 Montague Street  
Pacoima, CA 91331
- 1 United Technologies Corporation  
Advanced Systems Division  
ATTN: Richard J. Holman  
10180 Telesis Court  
San Diego, CA 92121
- 1 VP Consultants, Inc.  
ATTN: Mr. Albert E. Papazoni  
1600 Surrey Hill Drive  
Austin, TX 78746-7338
- 1 University of Idaho  
Department of Civil Engineering  
ATTN: Dr. Dennis R. Horn  
Moscow, ID 83843-4194
- 1 University of Illinois at Chicago  
ATTN: Dr. Wolfgang-M. Boerner  
PO Box 4348  
M/C 154, 1141-SEO  
Chicago, IL 60680
- 1 University of Nevada  
Environmental Research Center  
ATTN: Dr. Delbert S. Barth  
Las Vegas, NV 89154-0001

No. of  
Copies Organization

- 1 University of Illinois at Urbana-Champaign  
Department of Civil Engineering  
and Environmental Studies  
ATTN: Dr. E. Downey Brill, Jr.  
208 North Romine  
Urbana, IL 61801-2374
- 1 University of Illinois at Urbana-Champaign  
Department of Electrical and Computer  
Engineering  
ATTN: Dr. Shung-Wu Lee  
1406 W. Green  
Urbana, IL 61801
- 1 The Johns Hopkins University  
Applied Physics Laboratory  
ATTN: Jonathan Fluss  
Johns Hopkins Road  
Laurel, MD 20707
- 1 University of North Carolina  
ATTN: Professor Henry Fuchs  
208 New West Hall (035A)  
Chapel Hill, NC 27514
- 3 Ohio State University  
Electroscience Laboratory  
ATTN: Dr. Ronald Marhefka  
Dr. Edward H. Newman  
Dr. Prashbaker H. Pathak  
1320 Kinnear Road  
Columbus, OH 43212
- 1 University of Rochester  
ATTN: Nicholas George  
College of Engineering & Applied Science  
Rochester, NY 14627
- 3 University of Utah  
Computer Science Department  
ATTN: R. Risenfeld  
E. Cohen  
L. Knapp  
3160 Merrill Engineering Bldg  
Salt Lake City, UT 84112

No. of  
Copies Organization

- 3 University of Washington  
409 Department of Electrical  
Engineering, FT-10  
ATTN: Dr. Irene Peden  
Dr. Akira Ishimaru  
Dr. Chi Ho Chan  
Seattle, WA 98105
- 1 Virginia Polytechnic Institute  
and State University  
Industrial Engineering Operations  
Research Department  
ATTN: Robert C. Williges  
302 Whittemore Hall  
Blacksburg, VA 24061-8603
- 1 LTV Aircraft Products Group  
ATTN: Paul T. Chan, M/S 194-63  
PO Box 655907  
Dallas, TX 75265-5997
- 1 LTV Aerospace and Defense Company  
LTV Missiles and Electronics Group  
ATTN: Roger W. Melin, MS EM-36  
PO Box 650003  
Dallas, TX 75265-0003
- 2 Wackenhut Applied Technologies Center  
ATTN: Robert D. Carpenter  
David L. Rigotti  
10530 Rosehaven St., Suite 500  
Fairfax, VA 22030-2877
- 1 Westinghouse  
ATTN: Harvey Kloehn, MS 8530  
Box 1693  
Baltimore, MD 21203
- 1 XMCO, Inc.  
460 Spring Park Pl #1500  
Herndon, VA 22070-5215
- 1 Zernow Tech Services, Inc.  
ATTN: Dr. Louis Zernow  
425 West Bonita, Suite 208  
San Dimas, CA 91773

No. of  
Copies Organization

- 4 SURVICE Engineering  
ATTN: Jim Foulk  
George Large  
Glenn Gillis  
Kris Keller  
1003 Old Philadelphia Road, Suite 3  
Aberdeen, MD 21001
- 2 Sverdrup Technology  
ATTN: Dr. Ralph Calhoun  
Bud Bruenning  
PO Box 1935  
Eglin AFB, FL 32542
- 1 Georgia Technical Research Institute  
Systems and Technical Laboratory  
ATTN: Dr. Charles Watt  
1770 Richardsons Road  
Smyrna, GA 30080
- 1 Georgia Institute of Technology  
ATTN: Dr. Richard Moore  
ECSL EME  
ERB Building, Room 111  
Atlanta, GA 30332
- 1 Georgia Institute of Technology  
ATTN: Dr. L. G. Callahan, Jr.  
School of Industrial & Systems Engineering  
765 Ferst Drive  
Atlanta, GA 30332-0385
- 1 Duke University  
Department of Computer Science,  
VLSI Raycasting  
ATTN: Dr. Gershon Kedem  
236 North Building  
Durham, NC 27706
- 1 Paladin Software  
P O Box 187  
Aberdeen, MD 21001
- 1 UNISYS Corporation  
ATTN: Calvin M. Shuntam  
Department 7112  
12010 Sunrise Valley Drive  
Reston, VA 22091

No. of  
Copies Organization

- 1 Weidlinger Associates, Inc.  
ATTN: Kenneth Stultz  
1735 Jefferson Davis Hwy.  
Suite 1002  
Arlington, VA 22202
- 1 Mr. Charles W. Bernard  
5300 Columbia Pike  
Apt #902  
Arlington, VA 22204
- 1 Mr. Michael W. Bernhardt,  
DA Consultant  
Rt. 1, 12 Arthur Drive  
Hockessin, DE 19707
- 1 Perkins Coie  
ATTN: Mr. Robert L. Deitz  
607 Fourteenth Street, NW  
Washington, DC 20005-2011
- 1 Mr. Gerard W. Elverun, Jr.  
1338 Fair Oaks Avenue  
Banning, CA 92220
- 1 National Research Council  
ATTN: Mr. Richard E. Entlich  
2101 Constitution Ave, NW  
Harris Building #251  
Washington, DC 20418
- 1 Napadensky Energetics, Inc  
ATTN: Mrs. Hyla Napadensky  
650 Judson Avenue  
Evanston, IL 60202-2551
- 1 University of Iowa  
College of Engineering  
Center for Computer Aided Design  
ATTN: Dr. Edward J. Haug  
Iowa City, IA 52242
- 1 Hodges Transportation, Inc.  
ATTN: Mr. Harry E. Cole  
P O Box 234  
Carson City, NV 89702



No. of  
Copies Organization

- 1 Orincon Corporation  
ATTN: Mr. Robert M. Hillyer  
9363 Towne Center Drive  
San Diego, CA 92121
- 1 Dr. Robert B. LaBerge  
910 Via Palo  
Aptos, CA 95003
- 1 Orr Associates, Inc.  
ATTN: Dr. Joel N. Orr  
5224 Indian River Road  
Virginia Beach, VA 23464
- 1 Mr. Abraham Golub  
DA Consultant  
203 Yoakum Parkway, Apt 607  
Alexandria, VA 22304
- 1 Mr. Dave Hardison  
ASB Consultant  
3807 Bent Branch Road  
Falls Church, VA 22041
- 1 Mr. William M. Hubbard,  
ASB Consultant  
613 Eastlake Drive  
Columbia, MO 65203
- 1 Dr. Edward R. Jones,  
DA Consultant  
9881 Wild Deer Road  
St. Louis, MO 63124
- 1 MG Robert Kirwan (USA Ret),  
DA Consultant  
10213 Grovewood Way  
Fairfax, VA 22032
- 1 Director  
TEXCOM ESTP  
ATTN: STE-TFS-Z (Donald Krejcarek)  
Ft. Sill, OK 73503-6100
- 1 Mr. Robert B. Kurtz,  
DA Consultant  
542 Merwins Lane  
Fairfield, CT 06430-1920

No. of  
Copies Organization

- 1 LTGEN Howard Leaf, USAF (Ret)  
Director, Test and Evaluation  
HQ, USAF/TE  
Pentagon, Rm 4E995  
Washington, DC 20330
- 1 Cincinnati Mailacron Inc.  
ATTN: Mr. Richard C. Messinger  
Cincinnati, OH 45209
- 1 Coleman Research Corporation  
ATTN: GEN Glenn Otis, USA (Ret)  
5950 Lakehurst Drive  
Orlando, FL 32819
- 1 MG Peter G. Olenchuk, USA (Ret)  
BAST Consultant  
6801 Garon Road  
McLean, VA 22101
- 1 Harry Reed, Sr.  
Battelle Consultant  
138 Edmund Street  
Aberdeen, MD 21001
- 1 Mr. David L. Rigotti  
McClellan Research Consultant  
127 Duncannon Road  
Bel Air, MD 21014
- 1 Dr. A. E. Schmidlin  
DA Consultant  
28 Highview Road  
Caldwell, NJ 07006-5502
- 1 Mr. Robert G. S. Sewell  
1236 Mt. Whitney Lane  
Ridgecrest, CA 93555
- 1 MEMEX, Inc.  
ATTN: Mr. Charles S. Smith  
550 California Ave., #210  
Palo Alto, CA 94306
- 1 Mr. Arthur Stein  
Consultant, IDA  
30 Chapel Woods Court  
Williamsville, NY 14221-1816

No. of  
Copies Organization

- 1 Dr. Dora Strother  
ASB Consultant  
3616 Landy Lane  
Ft. Worth, TX 76118
- 1 Mr. Charles F. Tiffany  
2162 S. 14th Ave.  
Yuma, AZ 85364-6250
- 1 Hughes Aircraft Company  
ATTN: Mr. Hans Tees  
Bldg 801, MS G26  
P.O. Box 11337  
Tucson, AZ 85734
- 1 ALLIANT TechSystems  
ATTN: Steve Gunderson  
MN 11-1610  
600 2nd Street Northeast  
Hopkins, Minnesota 55343
- 1 Headquarters  
U.S. Army CECOM  
NVEO Directorate  
ATTN: AMSEL-RD-NV-ISPD (Mr. Peters)  
Fort Belvoir, VA 22060-5677
- 1 Martin Marietta, ADTO  
ATTN: Tom Tindel  
15250 Avenue of Science  
San Diego, CA 92128
- 1 Mr. Steve Hennessy, SSV Program  
Martin Marietta  
Mailstop H-8380  
P.O. Box 179  
Littleton, CO 80127
- 1 Pacific-Sierra Research Corp.  
ATTN: Steven McKay  
1401 Wilson Boulevard, Suite 1100  
Arlington, VA 22209
- 1 PM-TRADE  
ATTN: AMCPM-TND-A  
12350 Research Parkway  
Orlando, Florida 32826-3276

No. of  
Copies Organization

- 1 Department of the Air Force  
Hdq Electronic Systems Ctr (AFMC)  
ATTN: ESC/XRP  
Hanscom Air Force Base, MA 01731-5000
- 1 U.S. Army Missile Command  
TOW Project Office  
ATTN: SFAE-FS-TO-E-S (Brent Law)  
Redstone Arsenal, Alabama 35898-5000
- 1 Department of the Air Force  
Wright Laboratory (AFSC)  
ATTN: AARI-3 (Pat Woodworth)  
Wright-Patterson AFB, OH 45433-6543
- 2 Department of the Air Force  
ASC/XREWA  
ATTN: Dr. Kevin McArdle  
Mr. Doug McCown  
Eglin AFB, FL 32542
- 2 Department of the Air Force  
ASC/XRES  
ATTN: Mr. H. Griffiths  
Mr. M. Weisenback  
Bldg 450, 2845 50th St, Suite 19  
Wright Patterson AFB, OH 45433-6503
- 1 Department of the Air Force  
ASC/XRM  
ATTN: Mr. Gerald B. Bennett, Jr.  
Wright-Patterson AFB, OH 45433-6503
- 1 Department of the Air Force  
ASC/XRM-3  
ATTN: LT Kevin Hardman  
Wright-Patterson AFB, OH 45433-6503
- 1 Commander  
U.S. Army Space & Strategic Defense Cmmnd  
ATTN: SLKT (Dr. Bob Becker)  
P.O. Box 1500  
Huntsville, AL 35807-3801
- 1 Commander  
U.S. Army Missile Command  
ATTN: AMSMI-RD-ST-WF (Don Lovelace)  
Redstone Arsenal, AL 35898-5247

No. of  
Copies Organization

- 1 Commander  
Naval Air Systems Command  
JTCG/AS Central Office  
ATTN: Mr. John Over, AIR-516J  
1421 Jefferson Davis Highway  
Arlington, VA 22234-5160
- 1 Commander  
Naval Surface Warfare Center  
ATTN: Thomas S. Smith, Code G22  
Dahlgren, VA 22448-5000
- 1 OSD/OUUSD(A)/D,T&E/DDT&E/LFT  
ATTN: Mr. Thomas R. Julian  
The Pentagon, Rm 3D1084  
Washington, DC 20301-3110
- 1 Lawrence Livermore National Lab  
ATTN: Mr. Milton Finger  
P.O. Box 808, Mail Stop L11  
7000 E. Avenue  
Livermore, CA 94550-9900
- 1 Deputy Commander  
U.S. Army Strategic Defense Command  
ATTN: CSSD-SL-S (Mr. Richard Berg)  
P.O. Box 1500  
Huntsville, AL 35807-3801
- 2 QuesTech, Inc  
ATTN: Mr. Michael Eggleston  
Mr. James Birnham  
7600A Leesburg Pike  
Falls Church, VA 22043
- 2 HQ, Defense Nuclear Agency  
ATTN: MAJ Ken Bradley  
Mr. Tony Frederickson  
Washington, DC 20305-1000

## USER EVALUATION SHEET/CHANGE OF ADDRESS

This Laboratory undertakes a continuing effort to improve the quality of the reports it publishes. Your comments/answers to the items/questions below will aid us in our efforts.

1. ARL Report Number ARL-MR-103 Date of Report September 1993

2. Date Report Received \_\_\_\_\_

3. Does this report satisfy a need? (Comment on purpose, related project, or other area of interest for which the report will be used.) \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

4. Specifically, how is the report being used? (Information source, design data, procedure, source of ideas, etc.) \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

5. Has the information in this report led to any quantitative savings as far as man-hours or dollars saved, operating costs avoided, or efficiencies achieved, etc? If so, please elaborate. \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

6. General Comments. What do you think should be changed to improve future reports? (Indicate changes to organization, technical content, format, etc.) \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

CURRENT  
ADDRESS

\_\_\_\_\_  
Organization

\_\_\_\_\_  
Name

\_\_\_\_\_  
Street or P.O. Box No.

\_\_\_\_\_  
City, State, Zip Code

7. If indicating a Change of Address or Address Correction, please provide the Current or Correct address above and the Old or Incorrect address below.

OLD  
ADDRESS

\_\_\_\_\_  
Organization

\_\_\_\_\_  
Name

\_\_\_\_\_  
Street or P.O. Box No.

\_\_\_\_\_  
City, State, Zip Code

(Remove this sheet, fold as indicated, tape closed, and mail.)  
(DO NOT STAPLE)

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

**BUSINESS REPLY MAIL**

FIRST CLASS PERMIT No 0001, APG, MD

Postage will be paid by addressee

Director  
U.S. Army Research Laboratory  
ATTN: AMSRL-OP-CI-B (Tech Lib)  
Aberdeen Proving Ground, MD 21005-5066



NO POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED STATES

